





FTP binnen
Notepad ++









The image shows a Notepad++ window with a menu bar (Bestand, Bewerken, Zoeken, Beeld, Codering, Syntaxis, Instellingen, Macro, Uitvoeren, Plugins, Vensters, ?) and a toolbar. The main text area contains the following code:

```
1 <?  
2 echo "Welkom";  
3 ?>  
4
```

The third line is highlighted in light blue. A red arrow points from the word "Connect" (written in red cursive) to the FTP icon in the toolbar. To the right of the text area, there is a panel titled "FTP Folders - Disconnected" with a toolbar and a "Not connected" button. Below the main window is a "FTP Messages - No connection" panel. The status bar at the bottom shows: "Normal text file", "length: 24 lines: 4", "Ln: 3 Col: 3 Sel: 0", "Dos\Windows", "ANSI", "INS".

The image shows a Notepad++ window with the following code:

```
1 <?  
2 echo "Welkom";  
3 ?>  
4
```

Handwritten red text in the center reads: "Kies je naam". A red arrow points from this text to the "Frans Peeters" field in the "FTP Folders - Disconnected" sidebar on the right.

The sidebar also shows a "Not connected" status at the bottom. The status bar at the bottom of the Notepad++ window displays: "Normal text file", "length: 24 lines: 4", "Ln: 3 Col: 3 Sel: 0", "Dos\Windows", "ANSI", and "INS".

*new 2 - Notepad++

Bestand Bewerken Zoeken Beeld Codinging Syntaxis Instellingen Macro Uitvoeren Plugins Vensters ?

new 2

```
1 <?
2 echo "Welkom";
3 ?>
4
```

Diskette rood = niet opgeslagen.

FTP Folders - Connected

- /htdocs
 - _mmServerScripts
 - _notes
 - ajax
 - captcha
 - Connections
 - css
 - images
 - img
 - php
 - site 317474
 - Templates
 - test

Refresh succeeded

FTP Messages - franspeeters.ostrealyceum.net

Response (250): CWD command successful
-> TYPE A
Response (200): Type set to A
-> PASV
Response (227): Entering Passive Mode (85,214,134,95,146,210).
-> LIST
Response (150): Opening ASCII mode data connection for file list
Multiline Response (226): Transfer complete
Response (226): Quotas off
-> CWD /htdocs
Response (250): CWD command successful

Normal text file length: 24 lines: 4 Ln: 3 Col: 3 Sel: 0 Dos\Windows ANSI INS

*new 2 - Notepad++

Bestand Bewerken Zoeken Beeld Codinging Syntaxis Instellingen Macro Uitvoeren Plugins Vensters ?

new 2

```
1 <?
2 echo "Welkom";
3 ?>
4
```

Je ziet geen kleurtjes? Stel de syntaxis in bij Notepad++.

Opslaan als

Opgaan in: php

Naam	Gewijzigd op	Type
hallo.php	23-11-2011 10:47	PHP Scrip
hoi.php	23-11-2011 11:10	PHP Scrip
index.php	21-11-2011 10:03	Bestand
index.php	23-11-2011 10:47	PHP Scrip
php1.php	23-11-2011 10:46	PHP Scrip

Recente locaties

Bureaublad

Bibliotheken

Computer

Netwerk

Bestandsnaam: welkom.php

Opslaan als: Normal text file (*.txt)

Opslaan Annuleren

FTP Folders - Connected


- /htdocs
 - _mmServerScripts
 - _notes
 - ajax
 - captcha
 - Connections
 - css
 - images
 - img
 - php
 - site 317474
 - Templates
 - test

Refresh succeeded

FTP Messages - franspeeters.ostrealycuum.net

Response (250): CWD command successful
-> TYPE A
Response (200): Type set to A
-> PASV
Response (227): Entering Passive Mode (85,2...
-> LIST
Response (150): Opening ASCII mode data connection for file list
Multiline Response (226): Transfer complete
Response (226): Quotas off
-> CWD /htdocs
Response (250): CWD command successful

Normal text file length: 24 lines: 4 Ln: 3 Col: 3 Sel: 0 Dos\Windows ANSI INS



The image shows a Notepad++ window with a PHP file named 'welkom.php' open. The code in the editor is as follows:

```
1 <?
2 echo "Welkom";
3 ?>
4
```

A green arrow points from the text below to the upward-pointing arrow icon in the FTP Folders window, which is used to upload the file to the server.

Je klikt op het groene pijltje omhoog om een bestand te uploaden naar je subdomein.

The FTP Folders window shows a directory structure with the following items:

- /htdocs
- _mmServerScripts
- _notes
- ajax
- captcha
- Connections
- css
- images
- img
- php
- site 317474
- Templates
- test

The FTP Messages window at the bottom shows the following log:

```
FTP Messages - franspeeters.ostrealyceum.net
Response (250): CWD command successful
-> TYPE A
Response (200): Type set to A
-> PASV
Response (227): Entering Passive Mode (85,214,134,95,146,210).
-> LIST
Response (150): Opening ASCII mode data connection for file list
Multiline Response (226): Transfer complete
Response (226): Quotas off
-> CWD /htdocs
Response (250): CWD command successful
```


The status bar at the bottom indicates: PHP Hypertext Preprocessor file, length: 24 lines: 4, Ln: 3 Col: 3 Sel: 0, Dos\Windows, ANSI, INS.

1 <?>
2 echo "Welkom";
3 ?>
4

Je ziet een bestandenlijst aan de rechterkant en welkom.php moet daar nu bij staan.

FTP Messages - franspeeters.ostrealycum.net
Response (250): CWD command successful
-> TYPE A
Response (200): Type set to A
-> PASV
Response (227): Entering Passive Mode (85,214,134,95,180,102).
-> LIST
Response (150): Opening ASCII mode data connection for file list
Multiline Response (226): Transfer complete
Response (226): Quotas off
-> CWD /htdocs
Response (250): CWD command successful

PHP Hypertext Preprocessor file length : 24 lines : 4 Ln : 3 Col : 3 Sel : 0 Dos\Windows ANSI INS



Welkom

Ga naar je eigen subdomein om de pagina te bekijken. In mijn geval dus:
<http://franspeeters.ostrealyceum.net/welkom.php>